Attorney Docket: 042390.P6643c

09/262,458, titled "Gate Array Architecture", by Prossley, filed March 4, 1999, assigned to the assignee of the present invention, these **same** claims had previously been **allowed** by the Examiner in the presence of precisely the same cited patents. Therefore, Applicant filed this continuation to permit these allowed claims to proceed to issuance. It is unclear to the Applicant from the Examiner's office action what may have changed to result in the present rejection when previously the Examiner had

Furthermore, Applicant believes that the Examiner was correct in his previous allowance and that these claims do distinguish over the cited patents. As one example, immediately successive rows of diffusion regions do not have opposite polarity in the cited patents. It is, therefore, requested that the Examiner withdraw his rejection.

It is likewise noted that the Examiner has indicated that one of the documents cited in the IDS was not provided. Applicant will provide this document in a separate IDS.

## CONCLUSION

In view of the foregoing, it is respectfully asserted that all of the claims pending in this patent application are in condition for allowance. If the Examiner has any questions, he is invited to contact the undersigned at (503) 264-0967. Reconsideration of this patent application and early allowance of all the claims is respectfully requested.

Respectfully submitted,


Howard A. Skaist

allowed these claims over the same cited patents.

Senior Intellectual Property Attorney

Honard a. Shaist

Reg. No. 36,008



c/o Blakely, Sokoloff, Taylor & Zafman, LLP 12400 Wilshire Blvd., Seventh Floor Los Angeles, CA 90025-1026 (503) 264-0967

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage in an envelope addressed to the Commissioner of Patents, Washington, D.C. 20231 on:

N. Ne v 30, 2003

Name of Person Mailing Correspondence

Signature X C. June 930.07

TECHNOLOGY CENTER 2800

MF\_HS\0364.doc-6/2/98-as